



## Ficam D

Ficam D is recommended for the control of flies, cockroaches, ants, fleas, stored product insect pests, bed bugs, carpet pests, wasps, bees, silverfish and other bristle tails, ground beetles, earwigs, crickets, booklice, spiders, woodlice, centipedes, millipedes, ticks and thrips. It is particularly recommended for the treatment of inaccessible areas such as roof voids and service ducts where spraying is impractical and around electrical installations where spraying is undesirable.

Ficam D can be used in and around buildings including houses, blocks of flats, hospitals, warehouses, factories, ships and aircraft. It can be used in continuously occupied areas as a band/spot or crack and crevice treatment only. It can also be used outdoors at refuse tips and sewage works (not for use on sewage works filter beds).

### Directions for use

#### Application

Apply Ficam D by hand shaker or puffer, bellows or piston type gun or rotary blower at a dose rate of 10 – 20 g Ficam D per m<sup>2</sup>.

#### Crawling Insect Control

Ficam D may be used alone for crawling insect control in buildings. It should be applied to all areas where insect pests are found, particularly hiding places and runways.

More usually, Ficam D is used in conjunction with a suitable spray treatment such as Ficam W. Exposed areas and cracks and crevices should be treated with the spray and Ficam D should be applied to inaccessible areas such as service ducts, roof voids and around electrical equipment where spraying is undesirable. Where access is particularly restricted, such as behind wall or bath panelling, drill a small hole, blow in Ficam D and reseat.

#### Wasps and Wild Bees

Apply Ficam D to the nest entrance and surrounding area. Although Ficam D will not excite wasps or wild bees, care should be taken as the presence of the operator may do so. Action should be taken to prevent foraging bees gaining access to treated bees nests, preferably by removing the combs or blocking the nest entrance.

#### Insect Control on Refuse Tips

Apply Ficam D on newly deposited rubbish as loads are brought to the tip. Ficam D can also be used around dustbin areas, sewers and septic tanks.

### WARNING

Not for use on clothing and bedding.

### PRECAUTIONS

This product contains an anticholinesterase carbamate compound.  
DO NOT USE if under medical advice NOT to work with such compounds.  
WASH ANY CONTAMINATION from skin or eyes immediately.  
WASH HANDS AND EXPOSED SKIN before meals and after use.  
Keep only in the original container.  
Keep container tightly closed.  
KEEP IN A SAFE PLACE.

REMOVE EXCESS DUST FROM TREATED FABRICS AND AIR THOROUGHLY BEFORE USE.

To avoid risks to man and the environment, comply with the instructions for use. Safety data sheet available for professional user on request. Use appropriate containment to avoid environmental contamination.

### STATUTORY CONDITIONS RELATING TO USE

#### FOR USE ONLY AS AN INSECTICIDE

For use in and around buildings for the control of a wide range of insect pests in Public Health and Industry.  
Dose: 10 – 20 g per m<sup>2</sup>

The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work.

#### FOR USE ONLY BY PROFESSIONAL OPERATORS

Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment.

Wear suitable protective clothing.

Wear suitable gloves.

Do not breathe dust. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment – A Practical Guide").

AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRER REGULARLY.

However engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

COVER WATER STORAGE TANKS before application.

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

DANGEROUS TO FISH AND OTHER AQUATIC LIFE

REMOVE OR COVER ALL FISH TANKS AND BOWLS before application.

HAZARDOUS TO BEES.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981.

BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT ENGLISH NATURE, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

THIS MATERIAL AND ITS CONTAINER must be disposed of in a safe way.

#### READ ALL PRECAUTIONS BEFORE USE.

HSE 4829

In Eire PCS No. 93412.

WHO classification: III (slightly hazardous)

Ficam D - GB - 3 kg - GB06099261D - ARTICLE 06093603

#### First Aid

If Ficam D is swallowed induce vomiting unless the patient is unconscious or partly unconscious.

The patient must be kept strictly at rest and be examined by a doctor or taken to hospital without delay.

When stored in a dry place at a temperature not exceeding 25°C Ficam D has a shelf life of 3 years.

This product is approved under The Control of Pesticides Regulations (1986) for use as directed (HSE 4829).

Emergency phone UK : 0800 220876

Approval Holder :

Bayer Environmental Science SAS, Lyon

Bayer Environmental Science

Bayer CropScience Limited

230 Cambridge Science Park

Milton Road

Cambridge CB4 0WB

Tel : 00800 1214 9451

Ficam® is a registered trademark of Bayer.

© Copyright of Bayer 2004 – All rights reserved.



Bayer Environmental Science

A Business Operation of Bayer CropScience